

DATA SHEET

FortiGate® 3600E Series

FG-3600F and 3601F

Next Generation Firewall Segmentation IPS Mobile Security



The FortiGate 3600E series delivers high performance threat protection and SSL inspection for large enterprises and service providers, with the flexibility to be deployed at the enterprise/cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, superior security efficacy and high throughput of the 3600E series keeps your network connected and secure.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from Al powered FortiGuard Labs security services

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various highspeed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes management console that is effective, simple to use, and provides comprehensive network automation & visibility.
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing and automated remediation

Firewall	IPS	NGFW	Threat Protection	Interfaces	
240 Gbps	55 Gbps	40 Gbps	30 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots	

Deployment



- Reduce complexity by combining threat protection security capabilities into single high-performance network security appliance
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual applications in your network traffic
- Delivers industry's highest SSL inspection performance using industrymandated ciphers while maximizing ROI
- Proactively blocks newly discovered sophisticated attacks in real-time with advanced threat protection



Segmentation

- Intent-based Segmentation builds robust security framework while proactively reducing risk, cost and complexity
- Integrates with Security Fabric seamlessly to allow third party solutions and continuous trust assessment and thereby prevent sophisticated attacks
- Protects critical business applications and helps implement any compliance without network redesigns




IPS

- Highly cost-effective mitigation of unpatched vulnerability for hard-topatch systems such as IOT, ICS, and Scada
- Protect sensitive data to achieve various regulatory compliance such as PCI, HIPPA, PII, GDPR
- Multiple inspection engines, threat intelligence feeds and advanced threat protection options to defend against unknown threats in real-time
- Best of breed intrusion prevention with high-performance SSL inspection




Mobile Security for 4G, 5G and IOT

- SGi LAN security powered by multiple SPUs to provide high performance CGNAT and accelerate IPv4 and IPv6 traffic
- RAN Access Security with highly scalable and best performing IPsec aggregation and control security gateway (SecGW)
- User plane security enabled by full Threat Protection and visibility into GTP-U inspection
- Signaling security to inspect various protocols such as SCTP, Diameter, GTP-C, SIP and provide protection against attacks
- High-speed interfaces to enable deployment flexibility




FortiGate 3600E deployment in large campus networks (NGFW, Intent-based Segmentation)

FortiGate 3600E deployment in data center (IPS/NGFW, Intent-based Segmentation)



Hardware

FortiGate 3600E/3601E






Interfaces

- 1. USB Management Port
- 2. Console Port
- 3. 2x GE RJ45 Management Ports (supports 1 GE only)
- 4. 2x 25 GE SFP28 / 10 GE SFP+ / GE SFP HA Slots
- 5. 30x 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots
- 6. 6x 100 GE QSFP28 / 40 GE QSFP+ Slots

Powered by SPU





- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at SPU
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

100 GE Connectivity for Network

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3600E provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.



Fortinet Security Fabric


Security Fabric


The Security Fabric delivers broad visibility, integrated Al-driven breach prevention, and automated operations, orchestration, and response across all Fortinet and its ecosystem deployments. It allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network. All this is ties together under a single pane of glass management for significantly thereby delivering leading security capabilities across your entire environment while also significantly reducing complexity.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce complexity, costs, and response time with a truly consolidated next-generation security platform.





- A truly consolidated platform with a single OS and pane-of-glass for all security and networking services across all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
 Ability to leverage latest technologies such as deception-based security.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated Al-driven breach prevention and advanced threat protection.
- Fulfil your networking needs with extensive routing, switching, and SD-WAN capabilities along with intent-based segmentation.
- Utilize SPU hardware acceleration to boost security capability performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

	FORTIGATE 3600E/3601E			
Interfaces and Modules				
100 GE QSFP28 / 40 GE QSFP+ Slots	6			
25 GE SFP28 / 10 GE SFP+ / GE SFP Slots	32			
GE RJ45 Management Ports	2 (supports 1 GE only)			
USB Ports (Client / Server)	1/1			
Console Port	1			
Internal Storage	2x 2 TB SSD (For FG-3601E only)			
Included Transceivers	2x SFP+ (SR 10GE)			
System Performance — Enterprise Traffic Mix				
IPS Throughput ²	55 Gbps			
NGFW Throughput ^{2,4}	40 Gbps			
Threat Protection Throughput ^{2,5}	30 Gbps			
System Performance and Capacity				
Firewall Throughput (1518 / 512 / 64 byte, UDP)	240 / 240 / 150 Gbps			
IPv6 Firewall Throughput	240 / 240 / 150 Gbps			
(1518 / 512 / 86 byte, UDP)	21072107100 dapo			
Firewall Latency (64 byte, UDP)	4 μs			
Firewall Throughput (Packet per Second)	225 Mpps			
Concurrent Sessions (TCP)	50 Million			
New Sessions/Second (TCP)	460,000			
Firewall Policies	200,000			
IPsec VPN Throughput (512 byte) 1	145 Gbps			
Gateway-to-Gateway IPsec VPN Tunnels	40,000			
Client-to-Gateway IPsec VPN Tunnels	200,000			
SSL-VPN Throughput	12 Gbps			
Concurrent SSL-VPN Users	30,000			
(Recommended Maximum, Tunnel Mode)				
SSL Inspection Throughput (IPS, avg. HTTPS) 3	34 Gbps			
SSL Inspection CPS (IPS, avg. HTTPS) ³	19,000			
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	5.2 Million			
Application Control Throughput (HTTP 64K) ²	95 Gbps			
CAPWAP Throughput (HTTP 64K)	57 Gbps			
Virtual Domains (Default / Maximum)	10 / 500			
Maximum Number of FortiSwitches Supported	256			
Maximum Number of FortiAPs	4,096 / 1,024			
(Total / Tunnel Mode)				
Maximum Number of FortiTokens	20,000			
Maximum Number of Registered FortiClients	50,000			
High Availability Configurations	Active / Active, Active / Passive, Clustering			

	FORTIGATE 3600E/3601E			
Dimensions and Power				
Height x Width x Length (inches)	3.5 x 17.4 x 21.9			
Height x Width x Length (mm)	89 x 443 x 556			
Weight	3600E: 43.1 lbs (19.6 kg)			
	3601E: 44.5 lbs (20.2 kg)			
Form Factor	2 RU			
AC Power Supply	100-240V AC, 50-60 Hz			
Power Consumption (Average / Maximum)	672 W / 977 W			
Heat Dissipation	3334 BTU/h			
Redundant Power Supplies	Yes, Hot Swappable			
Operating Environment and Certifications				
Operating Temperature	32-104°F (0-40°C)			
Storage Temperature	-31–158°F (-35–70°C)			
Humidity	10-90% non-condensing			
Noise Level	60 dBA			
Operating Altitude	Up to 7.400 ft (2.250 m)			
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, Cl			
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN USGv6/IPv6			

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.



Order Information

Product	SKU	Description			
FortiGate 3600E	FG-3600E	6x 100 GE QSFP28 slots and 32x 25 GE SFP28 slots (including 30x ports, 2x HA ports), 2x GE RJ45 Management Ports, SPU NP6 and CP9 hardware accelerated, and 2 AC power supplies.			
FortiGate 3601E	FG-3601E	6x 100 GE QSFP28 slots and 32x 25 GE SFP28 slots (including 30x ports, 2x HA ports), 2x GE RJ45 Management Ports, SPU NP6 and CP9 hardware accelerated, 4 TB SSD onboard storage, and 2 AC power supplies.			
Optional Accessories					
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC.			
AC power supply	SP-FG3800D-PS	AC power supply for FG-3400/3401E, FG-3600/3601E, FG-3700D, FG-3700D-NEBS, FG-3700DX, FG-3810D and FG-3815D			
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Short Range	FG-TRAN-QSFP28-SR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.			
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Long Range	FG-TRAN-QSFP28-LR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.			
40 GE QSFP+ Transceiver Module, Short Range	FG-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.			
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.			
40 GE QSFP+ Transceiver Module, Long Range	FG-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.			
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.			
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.			
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.			
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.			
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.			
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.			
25 GE / 10 GE Dual Rate SFP28 Transceiver Module, Short Range	FG-TRAN-SFP28-SR	25 GE / 10 GE dual rate SFP28 transceiver module, short range for all systems with SFP28/SFP+ slots.			
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.			

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring ²	•			
SD-WAN Overlay Controller VPN Service ²	•			
FortiAnalyzer Cloud ²	•			
FortiManager Cloud ²	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2019 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Councils, with a purches, what has presented trademarks of Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding of product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT36K FG-3600E-DAT-R5-201906