



FortiGate® 6000F Series

FortiGate 6300F, 6301F, 6500F and 6501F

Next Generation Firewall
Segmentation
IPS
Mobile Security



The FortiGate 6000F series delivers high performance threat protection and SSL inspection for large enterprises and service providers, with the flexibility to be deployed at the enterprise/cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, superior security efficacy and high throughput of the 6000F series keeps your network connected and secure.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from AI powered FortiGuard Labs security services

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various high-speed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes management console that is effective, simple to use, and provides comprehensive network automation & visibility.
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing and automated remediation

Model	FG-6300F/6301F	FG-6500F/6501F
Firewall	239 Gbps	239 Gbps
IPS	110 Gbps	170 Gbps
NGFW	90 Gbps	150 Gbps
Threat Protection	60 Gbps	100 Gbps
Network Interfaces	Multiple 40/100 GE QSFP28, 1/10/25 GE SFP28, 1/10 GE SFP+ and GE RJ45	Multiple 40/100 GE QSFP28, 1/10/25 GE SFP28, 1/10 GE SFP+ and GE RJ45

Refer to specification table for details

Deployment



Next Generation Firewall (NGFW)

- Reduce complexity by combining threat protection security capabilities into single high-performance network security appliance
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual applications in your network traffic
- Delivers industry's highest SSL inspection performance using industry-mandated ciphers while maximizing ROI
- Proactively blocks newly discovered sophisticated attacks in real-time with advanced threat protection



Segmentation

- Intent-based Segmentation builds robust security framework while proactively reducing risk, cost and complexity
- Integrates with Security Fabric seamlessly to allow third party solutions and continuous trust assessment and thereby prevent sophisticated attacks
- Protects critical business applications and helps implement any compliance without network redesigns




IPS

- Highly cost-effective mitigation of unpatched vulnerability for hard-to-patch systems such as IOT, ICS, and Scada
- Protect sensitive data to achieve various regulatory compliance such as PCI, HIPPA, PII, GDPR
- Multiple inspection engines, threat intelligence feeds and advanced threat protection options to defend against unknown threats in real-time
- Best of breed intrusion prevention with high-performance SSL inspection




Mobile Security for 4G, 5G and IOT

- SGi LAN security powered by multiple SPUs to provide high performance CGNAT and accelerate IPv4 and IPv6 traffic
- RAN Access Security with highly scalable and best performing IPsec aggregation and control security gateway (SecGW)
- User plane security enabled by full Threat Protection and visibility into GTP-U inspection
- Signaling security to inspect various protocols such as SCTP, Diameter, GTP-C, SIP and provide protection against attacks
- High-speed interfaces to enable deployment flexibility






FortiGate 6300F/6500F deployment in large campus networks (NGFW, Intent-based Segmentation)



FortiGate 6300F/6500F deployment in data center (IPS/NGFW, Intent-based Segmentation)

Hardware

FortiGate 6300F/6301F/6500F/6501F



Interfaces

1. Console Port
2. USB Port
3. 2x GE RJ45, 1x 1/10 GE SFP+ Management Ports

4. 2x 10 GE SFP+ HA Slots
5. 24x 1/10/25 GE SFP28 Slots
6. 4x 40/100 GE QSFP28 Slots

Powered by SPU



- Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at SPU
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

Distribution Processor

Fortinet's SPU DP3 distribution processor provides hardware load balancing for traffic to multiple processing units.

Fortinet Security Fabric



Security Fabric

The Security Fabric delivers broad visibility, integrated AI-driven breach prevention, and automated operations, orchestration, and response across all Fortinet and its ecosystem deployments. It allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network. All this is tied together under a single pane of glass management for significantly thereby delivering leading security capabilities across your entire environment while also significantly reducing complexity.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce complexity, costs, and response time with a truly consolidated next-generation security platform.



- A truly consolidated platform with a single OS and pane-of-glass for all security and networking services across all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance. Ability to leverage latest technologies such as deception-based security.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated AI-driven breach prevention and advanced threat protection.
- Fulfil your networking needs with extensive routing, switching, and SD-WAN capabilities along with intent-based segmentation.
- Utilize SPU hardware acceleration to boost security capability performance.


Services



FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.

 For more information, please refer to forti.net/fortiguard and forti.net/forticare

Specifications

	FG-6300F/6301F	FG-6500F/6501F
Interfaces and Modules		
40/100 GE QSFP28 Slots		4
1/10/25 GE SFP28 Slots		24
10 GE SFP+ Slots		3
GE RJ45 Management Ports		2
USB Ports		1
Console Port		1
Internal Storage	2x 1 TB NVMe (for 6301F and 6501F only)	
Included Transceivers	2x SFP+ (SR 10 GE)	
System Performance — Enterprise Traffic Mix		
IPS Throughput ²	110 Gbps	170 Gbps
NGFW Throughput ^{2,4}	90 Gbps	150 Gbps
Threat Protection Throughput ^{2,5}	60 Gbps	100 Gbps
System Performance and Capacity		
Firewall Throughput (1518 / 512 / 64 byte, UDP)	239 / 238 / 135 Gbps	239 / 238 / 135 Gbps
Firewall Latency (64 byte, UDP)	5 µs	5 µs
Firewall Throughput (Packet per Second)	202.5 Mpps	202.5 Mpps
Concurrent Sessions (TCP)	120 Million	200 Million
New Sessions/Sec (TCP)	2 Million	3 Million
Firewall Policies	200,000	200,000
IPsec VPN Throughput (512 byte) ¹	96 Gbps	160 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	16,000	16,000
Client-to-Gateway IPsec VPN Tunnels	90,000	90,000
SSL-VPN Throughput	9 Gbps	9 Gbps
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	30,000	30,000
SSL Inspection Throughput (IPS, avg. HTTPS) ³	66 Gbps	110 Gbps
SSL Inspection CPS (IPS, avg. HTTPS) ³	30,000	50,000
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	10 Million	18 Million
Application Control Throughput (HTTP 64K) ²	150 Gbps	220 Gbps
CAPWAP Throughput (1444 byte, UDP)	N/A	N/A
Virtual Domains (Default / Maximum)		10 / 500
Maximum Number of FortiSwitches Supported		N/A
Maximum Number of FortiAPs (Total / Tunnel Mode)		N/A
Maximum Number of FortiTokens		20,000
Maximum Number of Registered FortiClients		100,000
High Availability Configurations		Supported

	FG-6300F/6301F	FG-6500F/6501F
Dimensions and Power		
Height x Width x Length (inches)	5.20 x 17.20 x 26.18	5.3 x 17.2 x 27.3
Height x Width x Length (mm)	132 x 437 x 665	133 x 437 x 694
Weight	67.68 lbs (30.7 kg) / 69.00 lbs (31.3 kg)	78.26 lbs (35.5 kg) / 79.59 lbs (36.1 kg)
Form Factor	3 RU	
AC Power Supply	100–240V AC, 50–60 Hz	
Power Consumption (Average / Maximum)	(977 / 1,217 W) / (977 / 1,237 W)	(1,308 / 1,548 W) / (1,328 / 1,568 W)
Current (Maximum)	30A@100VAC, 20A@240VAC	
Heat Dissipation	4,153 / 4,221 BTU/h	5,282 / 5,350 BTU/h
Redundant Power Supplies	2+1 Redundant, Hot Swappable	
Operating Environment and Certifications		
Operating Temperature	32–104°F (0–40°C)	
Storage Temperature	-31–158°F (-35–70°C)	
Humidity	10–90% non-condensing	
Noise Level	57.43 dBA	
Operating Altitude	Up to 7,400 ft (2,250 m)	
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.

5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

Order Information

Product	SKU	Description
FortiGate 6300F	FG-6300F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, and 3x AC power supplies.
FortiGate 6301F	FG-6301F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, 2x 1 TB NVMe, and 3x AC power supplies.
FortiGate 6500F	FG-6500F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, and 3x AC power supplies.
FortiGate 6501F	FG-6501F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, 2x 1 TB NVMe, and 3x AC power supplies.
Optional Accessories		
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Short Range	FG-TRAN-QSFP28-SR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Long Range	FG-TRAN-QSFP28-LR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FG-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FG-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
10 GE/25 GE SFP28 Transceiver Module, Short Range	FG-TRAN-SFP28-SR	10 GE/25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10GBase-ER SFP+ Transceiver Module	FS-TRAN-SFP+ER	10GBase-ER SFP+ transceiver module for FortiSwitch and FortiGate, 1550nm. Single Mode. 40km range for systems with SFP+ slots.
AC Power Supply	FG-7040E-PS-AC	1500 W AC power supply module for FG-7030E, FG-7040E, FG-6300/6301F, FG-6500/6501F, FG-3960E, FG-3980E (not compatible for use with FG-7060E).

Bundles



FortiGuard Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiCASB SaaS-only Service ^			•
FortiGuard Industrial Service ^			•
FortiGuard Security Rating Service* ^			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service*	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0.1 and above ^ With new Q3-2018 SKUs